

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
3	2	WO-9821662-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 09:33
4	4	((("6167253") or ("6151624"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 09:33
7	4	((("6301607") or ("6226642"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 09:48
11	185	MExE or (mobile with execution with environment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 09:54
12	1653	resource adj description adj format or RDF	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 09:54
14	2	(MExE or (mobile with execution with environment)) and (resource adj description adj format or RDF)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:05
15	9361	((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:00
16	76	((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:06
17	10	kjava	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:22
18	4	kjava and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:24
19	45	((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:18
21	11	((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326) and (obtain\$3 or negotiat\$3 or interrogat\$3 or receiv\$3 or check\$3 or request\$3) near10 capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:31

22	37	kjava or CDLC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:23
23	8	(kjava or CDLC) and (java or applet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:23
26	3	((kjava or CDLC) and (java or applet)) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:26
27	30	(kjava or CDLC) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:01
28	0	((kjava or CDLC) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 10:29
29	22	download\$3 with agent and updat\$3 adj10 capability with (device or terminal or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:28
30	59	download\$3 adj10 (tool or application or program or java or applet) and updat\$3 adj10 capability with (device or terminal or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:57
31	50	((download\$3 with agent and updat\$3 adj10 capability with (device or terminal or client)) or (download\$3 adj10 (tool or application or program or java or applet) and updat\$3 adj10 capability with (device or terminal or client))) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:30
32	0	((download\$3 with agent and updat\$3 adj10 capability with (device or terminal or client)) or (download\$3 adj10 (tool or application or program or java or applet) and updat\$3 adj10 capability with (device or terminal or client))) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326) and (MExE or (mobile with execution with environment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:31
33	4	((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326) and (updat\$3) near10 capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:40
34	8	((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326) and (updat\$3 or chang\$3) near10 capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 11:40
35	12	("6167253") or ("6151624") or ("6065039") or ("6226642") or ("20040015960") or ("20030236657") or ("6643684") or ("20020124050") or ("20020091797") or ("20020046295") or ("6721747") or ("6643652")).PN.	USPAT; US-PGPUB	2004/07/07 13:54

36	221	download\$3 adj10 (agent or tool or application or program or java or applet) and updat\$3 adj10 capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:58
37	1217	download\$3 adj10 (agent or tool or application or program or java or applet) and (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 14:59
38	45	(download\$3 adj10 (agent or tool or application or program or java or applet) and (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability) and download\$3 adj10 (agent or tool or application or program or java or applet) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:01
39	35	((download\$3 adj10 (agent or tool or application or program or java or applet) and (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability) and download\$3 adj10 (agent or tool or application or program or java or applet) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:02
41	69	(provid\$3 or download\$3) adj10 (agent or tool or application or program or java or applet) with (server or provider) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:03
42	50	(((provid\$3 or download\$3) adj10 (agent or tool or application or program or java or applet) with (server or provider) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:02
43	17	(((provid\$3 or download\$3) adj10 (agent or tool or application or program or java or applet) with (server or provider) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)) and (((709/202) or (709/203) or (709/217) or (709/218) or (709/219)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:03
44	2	(((provid\$3 or download\$3) adj10 (agent or tool or application or program or java or applet) with (server or provider) same (chang\$3 or modify\$3 or updat\$3 or provid\$3) adj10 capability near15 (device or terminal or client or station)) and (@AD<20010326 or @RLAD<20010326 or @PRAD<20010326)) and ((MExE or (mobile with execution with environment)) or (resource adj description adj format or RDF))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:03



Web Images Groups News Froogle [more »](#)

MExE RFC capability RDF

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **244** for **MExE RFC capability RDF**. (0.41 seconds)

[DOC] 3GPP Change Request Template

File Format: Microsoft Word 6 - View as HTML

... [25] IETF **RFC 2368**: The ... The content negotiation transferred between the **MExE** MS and the ... The Composite **Capability**/ Preferences Profiles framework is intended to ...

[www.3gpp.org/ftp/tsg_t/WG2_Capability/TSMT2_07/ Docs/T2-99940\(Updates%20to%20UAPProf%20parameters\).doc](http://www.3gpp.org/ftp/tsg_t/WG2_Capability/TSMT2_07/ Docs/T2-99940(Updates%20to%20UAPProf%20parameters).doc) -

[Similar pages](#)

[DOC] GSM 03.57 **MExE** Satge 2

File Format: Microsoft Word 97 - View as HTML

... CA Certification Authority. CC/PP Composite **Capability**/Preference Profiles. ... JAR file Java Archive File. MSE **MExE** Service Environment. ... **RFC** Request For Comments. ...

[www.3gpp.org/ftp/tsg_t/WG2_Capability/ TSMT2_04/Docs/T2-99484%20\(WAP%20changes\).doc](http://www.3gpp.org/ftp/tsg_t/WG2_Capability/ TSMT2_04/Docs/T2-99484%20(WAP%20changes).doc) - [Similar pages](#)

[[More results from www.3gpp.org](#)]

Composite **Capability**/Preference Profiles (CC/PP): Structure and ...

... to be interpreted as described in **RFC 2119** [25 ... which, needs to be able to indicate some **capability**. ... and application domains (WAP Forum, ETSI, **MExE**, IETF CONNEG ...

public.research.mimesweeper.com/Standards/ W3C/CCPP/WD-CCPP-struct-vocab-20010129.html - 101k -

[Cached](#) - [Similar pages](#)

Composite Capabilities/Preferences Profiles: Structure

... to be interpreted as described in **RFC 2119** [RFC2119 ... application domains (WAP Forum/UAPProf, ETSI/**MExE**, IETF/CONNEG ... If a **capability** described in the collection of ...

www.w3.org/TR/2000/WD-CCPP-struct-20000721/ - 53k - [Cached](#) - [Similar pages](#)

Composite **Capability**/Preference Profiles (CC/PP): Structure and ...

... to be interpreted as described in **RFC 2119** [25 ... application domains (WAP Forum, ETSI, **MExE**, IETF CONNEG ... for describing proxy profile and **capability** chaining, when ...

www.w3.org/TR/2001/WD-CCPP-struct-vocab-20010129/ - 101k - [Cached](#) - [Similar pages](#)

[[More results from www.w3.org](#)]

Composite **Capability**/Preference Profiles (CC/PP): Structure and ...

... to be interpreted as described in **RFC 2119** [RFC2119 ... A **capability** can often be described using a small ... and application domains (WAP Forum, ETSI, **MExE**, IETF CONNEG ...

bobby.watchfire.com/...// www.w3.org%2FTR%2F2003%2FPR-CCPP-struct-vocab-20031015%2F - 101k -

[Cached](#) - [Similar pages](#)

[PDF] XML in Wireless World XML in Wireless World

File Format: PDF/Adobe Acrobat - View as HTML

... promising progress in IETF: **RFC 3481** • HTTP ... context profile from fragments of **capability** information that ... 3GPP Mobile Execution Environment (**MExE**) group has ...

www.cs.helsinki.fi/u/kraatika/ Slides/XMLinWirelessWorld.pdf - [Similar pages](#)

[PDF] 3G TS 23.140

File Format: PDF/Adobe Acrobat - View as HTML

... 16 7.4 Terminal **Capability** Negotiation ... in clause 7. Implementations based on applications using **MExE** may be ... support the use of E-Mail addresses (**RFC 822**) [5]or ...

www.3gpp.org/ftp/Specs/ARIB-spec/ARIB/23140_301.PDF - [Similar pages](#)

[PPT] XML in Wireless World

File Format: Microsoft Powerpoint 97 - View as HTML

... promising progress in IETF: **RFC 3481**. ... context profile from fragments of **capability**

information that ... 3GPP Mobile Execution Environment (**MExE**) group has adopted ...
www.w3c.tut.fi/events/2003/0506swws/arc/xml_in_wireless_world.ppt - [Similar pages](#)

WAP NG and iMode 2

... Graham Klyne et al.: Composite **Capability**/Preference Profiles (CC ... <http://www.rfc-editor.org/rfc/rfc2616.txt>. ...
[MExE] Terms of Reference for SWG1 Mobile Execution ...
www.isoc.org/isoc/conferences/inet/01/CD_proceedings/6/INET-WAP.htm - 67k - [Cached](#) - [Similar pages](#)

Go o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 **Next**

MExE RFC capability RDF

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web Images Groups News Froogle **more »**

MExE RFC capability RDF

Search

Advanced Search
Preferences

Web

Results 11 - 20 of about 244 for MExE RFC capability RDF. (0.48 seconds)

[PDF] **Composite Capability/Preference Profiles (CC/PP): Structure and ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... term "feature" refers to a client **capability** or characteristic ... name" is used to indicate an **RDF** property name ... in the HTTP/1.1 specification, **RFC 2616** [RFC2616 ...

www.pucp.edu.pe/fac/cing/telecom/6_catedra/ccpp.pdf - [Similar pages](#)

1252

... or devices for a particular **capability**, and to ... Station Application Execution Environment (**MExE**); Functional description ... Internet Request for Comments, **RFC 1777** ...

<https://doc.telin.nl/dscgi/ds.py/GetRepr/File-13000/html> - 89k - [Cached](#) - [Similar pages](#)

1252

... various levels of trust (as proposed for **MExE**), the user ... <http://www.ietf.org/rfc/rfc1777.txt> ... Bootstrap Protocol (BOOTP) [7], adding the **capability** of automatic ...

<https://doc.telin.nl/dscgi/ds.py/GetRepr/File-13005/html> - 101k - [Cached](#) - [Similar pages](#)

[[More results from https://doc.telin.nl](#)]

[PDF] **GSM 03.57 MExE Satge 2**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Authority CC/PP Composite **Capability/Preference** Profiles ... MMI Man-Machine Interface MSE **MExE** Service Environment ... **RDF** Resource Description Format **RFC** Request For ...

www.arib.or.jp/IMT-2000/V310Sep02/T63/R99/23/A23057-340.pdf - [Similar pages](#)

[[More results from www.arib.or.jp](#)]

[PDF] **WAG UAProf**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... URI): Generic Syntax", **RFC 2396**, T ... SoftwarePlatform, NetworkCharacteristics, WAP, **MExE**, BrowserUA and ... specific aspect, characteristic, **capability** or relation ...

www.wmlclub.com/docs/especwap2.0/WAP-248-UAProf-20010530-p.pdf - [Similar pages](#)

Abbreviations

... ITC, Information Transfer **Capability**. ITU, International Telecommunication Union. ... MSE, **MExE** Service Environment. ... RF, Radio Frequency. **RFC**, Request For Comments. ...

3g4g.co.uk/Vocab/abb.html - 66k - [Cached](#) - [Similar pages](#)

Position-Dependent Services Using Metadata Profile Matching

... VEVENT, defined in the IETF standard **RFC 2445**, Internet ... of UAProf, also referred to as **Capability** and Preference ... vendor and version, support for **MExE**, list of ...

www.isoc.org/inet2000/cdproceedings/3a/3a_3.htm - 49k - [Cached](#) - [Similar pages](#)

[doc] **June 20, 2003 — Metadata — Invoice #030863**

File Format: Microsoft Word 2000 - [View as HTML](#)

... [7] □ 3GPP TS **MExE** Functional Specification ... Version 1 □ Functional Specification□, IETF **RFC 2205**, September ... and CC/PP (Composite **Capability/Preference** Profile ...

www.aptsec.org/meetings/2003/seventh-ASTAP/ASTAP03-FR07-PL-34_Progress-Report_MD.doc - [Similar pages](#)

[PDF] **Generic adaptation mechanism for the support of flexible service ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of having the terminal **capability** information conveyed ... 3GPP TS 23.057: "Mobile Station Execution Environment (**MExE**)". ... Negotiation in HTTP", IETF **RFC 2295** ...

www.ctr.kcl.ac.uk/Private/Mischa/PIMRC2002/papers/cr1598.pdf - [Similar pages](#)

Composite Capabilities/Preference Profiles: Requirements and ...

... indirect addressing scheme based on **RFC** 1630 for ... be extensible to dynamically compose **capability** information located ... service (such as required for ETSI/**MExE**). ...

www.tom.sfc.keio.ac.jp/~hagino/web2000/ccpp/ra.html - 79k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google